

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030002065".pn.	US-PGPUB; USPAT	OR	ON	2005/09/13 12:48
S2	926	print\$3 same memory same (capacity or size) same compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/11 16:11
S3	945	print\$3 same memory same (capacity or size) same compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/11 16:11
S4	520	S3 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/11 16:12
S5	209	print\$3 with memory with (capacity or size) with compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/16 16:04
S6	151	S5 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/11 16:19
S7	161	S5 and ((capacity near4 full) or predetermined)	US-PGPUB; USPAT	OR	ON	2005/02/11 16:19
S8	118	S7 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/11 16:25
S9	153625	(capacity or size) near4 determin\$5	US-PGPUB; USPAT	OR	ON	2005/02/11 16:25
S10	264	S3 and S9	US-PGPUB; USPAT	OR	ON	2005/02/11 16:25
S11	156	S10 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/11 16:29
S12	133	S11 and cod\$3	US-PGPUB; USPAT	OR	ON	2005/02/11 16:30
S13	53	S11 and maint\$7	US-PGPUB; USPAT	OR	ON	2005/02/11 16:45
S14	233	memory with (maintenance or repair\$3) with image	US-PGPUB; USPAT	OR	ON	2005/02/14 16:07
S15	80	S14 and (capacity or size) and compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/11 16:49
S16	2554	memory with (maintenance or error or repair\$3) with image	US-PGPUB; USPAT	OR	ON	2005/02/14 16:08
S17	1061	S16 and (capacity or size) and compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/14 16:09
S18	303	S17 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/14 16:09
S19	1	"5936746".pn.	US-PGPUB; USPAT	OR	ON	2005/02/16 14:04
S20	646	output near2 compress\$3 near2 cod\$3	US-PGPUB; USPAT	OR	ON	2005/02/16 14:05
S21	63	S20 and "358"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/16 14:27

S22	36	S21 and (cod\$3 adj output)	US-PGPUB; USPAT	OR	ON	2005/02/16 14:28
S23	946	print\$3 same memory same (capacity or size) same compress\$3	US-PGPUB; USPAT	OR	ON	2005/02/16 14:28
S24	88	S23 and (cod\$3 adj output)	US-PGPUB; USPAT	OR	ON	2005/02/16 15:25
S25	877	(printer or facsimile or copier or mfd or (multi\$function adj device)) with (error or repair of status or maintenance or toner or (paper adj jam) or light or illumination) with (compress\$3 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/02/16 15:28
S26	5680	(storage or holding or keeping or memory) with (error or repair of status or maintenance or toner or (paper adj jam) or light or illumination) with (compress\$3 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/02/16 15:43
S27	92	S26 with (printer or facsimile or copier or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/16 15:30
S28	1623	S26 and (printer or facsimile or copier or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/16 15:44
S29	314	(storage or holding or keeping or memory) with (capacity or size or full) with (error or repair of status or maintenance or toner or (paper adj jam) or light or illumination) with (compress\$3 or encod\$3)	US-PGPUB; USPAT	OR	ON	2005/02/16 16:48
S30	87	S29 and (printer or facsimile or copier or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/16 15:58
S31	77	S30 not S27	US-PGPUB; USPAT	OR	ON	2005/02/16 15:57
S32	155	S29 and (network or lan or communication)	US-PGPUB; USPAT	OR	ON	2005/02/16 15:58
S33	57	S32 and (printer or facsimile or copier or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/16 15:58
S34	57	S32 and (printer or fax or facsimile or copier or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/16 15:58
S35	4	print\$3 with memory with (capacity or size) with compress\$3 with (error or repair or maintenance)	US-PGPUB; USPAT	OR	ON	2005/02/16 16:05

S36	63	memory with (capacity or size) with compress\$3 with (error or repair or maintenance)	US-PGPUB; USPAT	OR	ON	2005/02/16 16:05
S37	128819	communication adj system	US-PGPUB; USPAT	OR	ON	2005/02/16 16:48
S38	42070	S37 and (facsimile or fax or mfd or (multi\$function adj device) or print\$3)	US-PGPUB; USPAT	OR	ON	2005/02/16 16:49
S39	1	S38 and ( memory with (capacity or size) with compress\$3 with (error or repair or maintenance))	US-PGPUB; USPAT	OR	ON	2005/02/16 16:50
S40	22	S38 and ( memory same (capacity or size) same compress\$3 same (error or repair or maintenance))	US-PGPUB; USPAT	OR	ON	2005/02/16 16:51
S41	22	S38 and (memory same (capacity or size) same compress\$3 same (error or repair or maintenance))	US-PGPUB; USPAT	OR	ON	2005/02/16 16:51
S42	22	(printer or fax or facsimile or mfd or (multi\$function adj device)) with (memory or storage) with (compression or encoding) with (error or maintenance or log or maintenance)	US-PGPUB; USPAT	OR	ON	2005/02/17 10:33
S43	326409	memory and (capacity or full)	US-PGPUB; USPAT	OR	ON	2005/02/17 08:10
S44	16	S42 and S43	US-PGPUB; USPAT	OR	ON	2005/02/17 11:35
S45	196	maintenance adj memory	US-PGPUB; USPAT	OR	ON	2005/02/17 10:37
S46	3933	memory adj usage	US-PGPUB; USPAT	OR	ON	2005/02/17 10:47
S47	48	S45 and (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 10:47
S48	748	maintenance adj (memory or storage)	US-PGPUB; USPAT	OR	ON	2005/02/17 10:38
S49	213	S48 and (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 10:46
S50	165	S49 not S47	US-PGPUB; USPAT	OR	ON	2005/02/17 10:46
S51	1669	S46 and (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 10:48
S52	33026	memory adj (usage or capacity)	US-PGPUB; USPAT	OR	ON	2005/02/17 10:47

S53	11779	S52 and (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 11:36
S54	40	S53 and S49	US-PGPUB; USPAT	OR	ON	2005/02/17 11:10
S55	1	"6181435".pn.	US-PGPUB; USPAT	OR	ON	2005/02/17 11:11
S56	1835	memory near10 ((capacity or usage) near3 (predetermined or full))	US-PGPUB; USPAT	OR	ON	2005/02/17 14:03
S57	748	S56 and (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 14:04
S58	255	S57 and (compression or encoding)	US-PGPUB; USPAT	OR	ON	2005/02/17 13:16
S59	10	("5270830"   "5280366"   "5535277"   "6064915"   "6130860"   "6137597"   "6160968"   "6452688"   "6570667"   "6763104").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/17 13:05
S60	2	"6665425"	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/17 13:06
S61	3	"6459504"	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/17 13:06
S62	161	S58 and (maintenance or error or log)	US-PGPUB; USPAT	OR	ON	2005/02/17 13:59
S63	4545	memory with ((capacity or usage) with (predetermined or full))	US-PGPUB; USPAT	OR	ON	2005/02/17 14:04
S64	157	S63 with (printer or fax or facsimile or mfd or (multi\$function adj device))	US-PGPUB; USPAT	OR	ON	2005/02/17 14:08
S65	9	S64 with (compression or encoding)	US-PGPUB; USPAT	OR	ON	2005/02/17 14:09
S66	3	("6459504" or "6052200" or "5970222").pn.	US-PGPUB; USPAT	OR	ON	2005/02/17 15:17
S67	0	memory with ((maintenance or log or error) adj report) with (capacity or limit or threshold) with (compression or encoding)	US-PGPUB; USPAT	OR	ON	2005/02/18 10:37
S68	0	memory with ((maintenance or log or error) adj report) with (capacity or limit or threshold) with (compression or encoding)	US-PGPUB; USPAT	OR	ON	2005/02/18 10:30

S69	7	(printer or fax or facsimile or mfd or (multi\$function adj device) or copier) with memory with ((maintenance or log or error) adj report)	US-PGPUB; USPAT	OR	ON	2005/02/18 10:37
S70	0	memory near6 ((maintenance or log or error) adj report) near5 (capacity or limit or threshold) near10 (compression or encoding)	US-PGPUB; USPAT	OR	ON	2005/02/18 10:37
S71	1000	(printer or fax or facsimile or mfd or (multi\$function adj device) or copier) and 358/1.14.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 10:38
S72	40	S71 and ((error or maintenance) near2 (report or log))	US-PGPUB; USPAT	OR	ON	2005/02/18 11:29
S73	25772	(memory or ram or (detachable adj memory) or floppy or disc or disk\$4 or (compact adj disc) or dvd or (memory adj stick) or storage) near5 ((detect\$3 or sens\$3 or determin\$5 or deci\$4 or measure\$4 or tim\$3 or count\$3) near3 (capacity or volume or size or quantity or exce\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 11:56
S74	2386	(S73) with (compress\$3 or encod\$3 or encrypt\$3 or reduc\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 11:42
S75	76	(S74) and ((maintenance or service or error or status) adj (log or (part adj failure) or (part adj exchange) or (part adj replacement) or (predict adj failure\$1) or (reserve adj part\$1) or report or history or warning or indicat\$3 or fax or printout or email or facsimile or (electronic adj mail)))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:02
S76	1	(S74) with ((maintenance or service or error or status) adj (log or (part adj failure) or (part adj exchange) or (part adj replacement) or (predict adj failure\$1) or (reserve adj part\$1) or report or history or warning or indicat\$3 or fax or printout or email or facsimile or (electronic adj mail)))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 11:47
S77	12	(S75) and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 11:56

S78	29195	((detect\$3 or sens\$3 or determin\$5 or deci\$4 or measure\$4 or tim\$3 or count\$3) near3 (memory or ram or (detachable adj memory) or floppy or disc or disk\$4 or (compact adj disc) or dvd or (memory adj stick) or storage) near5 (capacity or volume or size or quantity or exce\$3 or limit\$1 or threshold\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:00
S79	52	(S78) same ((maintenance or service or error or status) adj (log or (part adj failure) or (part adj exchange) or (part adj replacement) or (predict adj failure\$1) or (reserve adj part\$1) or report or history or warning or indicat\$3 or printout or (electronic adj mail)))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:10
S80	33674	(memory) adj (full or capacity or limit or threshold)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:11
S81	3952	(S80) same (maintenance or report or log or status or failure\$1 or part\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:13
S82	1433	(S80) with (maintenance or report or log or status or failure\$1 or part\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:13
S83	930	(S80) near10 (maintenance or report or log or status or failure\$1 or part\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:13
S84	93	(S83) and "358"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 12:59
S85	430	((stor\$3 or sav\$3) near3 (use or usage or history or maintenance or capabilit\$3)) near8 (printer)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:42
S86	139099	(capacity or full) near3 (memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:44
S87	104	S85 and S86	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 13:09

S88	76000	(use or usage or history or maintenance or capabilit\$3) near8 (printi\$3 or output\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 13:41
S89	390	S86 same S88	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 13:40
S90	10321	(history or maintenance) near8 (printi\$3 or output\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 13:41
S91	60	S86 same S90	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 14:03
S92	20	S91 and (compres\$4 or encod\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/02/18 14:04
S93	1	"5935262".pn.	US-PGPUB; USPAT	OR	ON	2005/02/18 14:34
S94	1	"6052200".pn.	US-PGPUB; USPAT	OR	ON	2005/02/18 14:54
S95	92	conver\$4 near4 data near5 barcode	US-PGPUB; USPAT	OR	ON	2005/02/18 15:01
S96	7	"6043899"	US-PGPUB; USPAT	OR	ON	2005/02/18 15:01
S97	1	"6043899".pn.	US-PGPUB; USPAT	OR	ON	2005/02/18 16:02
S98	1	"5914789".pn.	US-PGPUB; USPAT	OR	ON	2005/02/18 16:02
S99	848	((stor\$3 or sav\$3) near3 (use or usage or history or maintenance or capabilit\$3)) near8 (printer or mfd or (multi\$function\$2 adj device) or fax or facsimile)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:43
S10 0	150172	(capacity or full) near3 (memory or stor\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:44
S10 1	261	S99 and S100	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:44
S10 2	196	S101 and (lan or network)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:44

S10 3	140	S102 and (telephone or pstn)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2005/09/12 11:45
S10 4	256	tanaka-toshiaki.in.	US-PGPUB; USPAT	OR	ON	2005/09/13 12:49